STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OU. CAS AND MINING

MENDED REPORT

DIVISION OF OIL, GAS AND MINING											
APPLICATION FOR PERMIT TO DRILL							1. WELL NAME and NUMBER GMBU A-27-9-16				
2. TYPE OF WORK DRILL NEW WELL REENTER P&A WELL DEEPEN WELL							3. FIELD OR WILDCAT MONUMENT BUTTE				
4. TYPE OF WELL Oil Well Coalbed Methane Well: NO							5. UNIT or COMMUNITIZATION AGREEMENT NAME GMBU (GRRV)				
6. NAME OF OPERATOR NEWFIELD PRODUCTION COMPANY							7. OPERATOR PHONE 435 646-4825				
8. ADDRESS OF OPERATOR Rt 3 Box 3630 , Myton, UT, 84052							9. OPERATOR E-MAIL mcrozier@newfield.com				
10. MINERAL LEASE NUMBER		11. MINERAL OWNERS	SHIP			_	12. SURFACE OWNERSHIP				
(FEDERAL, INDIAN, OR STATE) UTU-74392 FEDERAL INDIAN) STATE) FEE		FEDERAL INDIAN STATE FEE				
13. NAME OF SURFACE OWNER (if box 12 = 'fee')							14. SURFACE OWNER PHONE (if box 12 = 'fee')				
15. ADDRESS OF SURFACE OWNER (if box 12 = 'fee')							16. SURFACE OWNER E-MAIL (if box 12 = 'fee')				
17. INDIAN ALLOTTEE OR TRIBE NAME	18. INTEND TO COMMINGLE PRODUCTION FROM MULTIPLE FORMATIONS					19. SLANT					
(if box 12 = 'INDIAN')	YES (Submit Commingling Application) NO					VERTICAL DIRECTIONAL HORIZONTAL					
20. LOCATION OF WELL	FO	OTAGES	Q.	TR-QTR	SECTIO	N	TOWNSHIP	RANGE	ANGE MERIDIAN		
LOCATION AT SURFACE	557 FS	L 466 FWL		swsw	23		9.0 S	16.0 E S		S	
Top of Uppermost Producing Zone 241 FSL		L 180 FWL	swsw		23		9.0 S	16.0 E	s		
At Total Depth 75 FNL 125 F		_ 125 FEL	NENE		27		9.0 S	16.0 E S		S	
21. COUNTY 22. DISTANCE TO NEAR DUCHESNE				EASE LINE (Feet)			23. NUMBER OF ACRES IN DRILLING UNIT				
25. DISTANCE TO NEAREST W (Applied For Drilling or Com 8					eted) MD: 5923 TVD: 5850						
27. ELEVATION - GROUND LEVEL 5754	28. BOND NUMBER WYB000493					29. SOURCE OF DRILLING WATER / WATER RIGHTS APPROVAL NUMBER IF APPLICABLE 437478					
		Hole, Casing	, and C	Cement Info	rmation						
	-	ght Grade & Th		Max Mud			Cement	Sacks		Weight	
		1.0 J-55 ST8		8.3		Class G		138	1.17	15.8	
Prod 7.875 5.5	0 - 5923 15	5.5 J-55 LT8	&C	8.3		Prer	nium Lite High Strength 50/50 Poz	h 271 363	3.26	11.0	
							30/30 1 02	000	1.24	14.0	
		A	TTACH	HMENTS							
VERIFY THE FOLLOWING ARE ATTACHED IN ACCORDANCE WITH THE UTAH OIL AND GAS CONSERVATION GENERAL RULES											
WELL PLAT OR MAP PREPARED BY LICENSED SURVEYOR OR ENGINEER				COMPLETE DRILLING PLAN							
AFFIDAVIT OF STATUS OF SURFACE OWNER AGREEMENT (IF FEE SURFACE)				FORM 5. IF OPERATOR IS OTHER THAN THE LEASE OWNER							
DIRECTIONAL SURVEY PLAN (IF DIRECTIONALLY OR HORIZONTALLY DRILLED)				TOPOGRAPHICAL MAP							
NAME Heather Calder TITLE Production Technicia				PHONE 435 646-4936							
SIGNATURE DATE 08/11/2014				EMAIL hcalder@newfield.com							
API NUMBER ASSIGNED 43013531070000	APPROVAL	Permit Manager									

T9S, R16E, S.L.B.&M.

NEWFIELD EXPLORATION COMPANY

WELL LOCATION, A-27-9-16, LOCATED AS SHOWN IN THE SW 1/4 SW 1/4 OF SECTION 23, T9S, R16E, S.L.B.&M. DUCHESNE COUNTY, UTAH.



VOTES:

- 1. Well footages are measured at right angles to the Section Lines.
- 2. Bearings are based on Global Positioning Satellite observations.
- 3. The Center of Pattern footages are 58' FSL & 0' FEL Sec. 22, T9S, R16E, S.L.B.&M.



= SECTION CORNERS LOCATED


THIS IS TO CERTIFY THAT THE ABOVE PERT WAS PREPARED FROM FIELD OF ACTUME SURVEYS MADE BY ME OR UNDOR MY SUPPRISON AND THAT THE SAME ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE ON BEING. 189377 OF MY KNOWLEDGE OF STACY W.

REGISTERS D LAND SURVEYOR REGISTRA ON NO. STATE OF STAT

TRI STATE LAND SURVEYING & CONSULTING

180 NORTH VERNAL AVE. – VERNAL, UTAH 84078 (435) 781–2501

DATE SURVEYED: 04-03-13	SURVEYED BY: S.H.	VERSION:		
DATE DRAWN: 01-06-14	DRAWN BY: S.H.	V1		
REVISED:	SCALE: 1" = 1000'			



NAD 27 (CENTER OF PATTERN)

LATITUDE = 40°00'33.49' LONGITUDE = 110°05'42.82' NAD 27 (SURFACE LOCATION)

LATITUDE = $40^{\circ}00'38.38'$ LONGITUDE = $110^{\circ}05'36.88'$

LAT. 40°04'09.56" LONG. 110°00'43.28"

(Tristate Aluminum Cap) Elev. 5281.57'

Top of Hole. T9S, R16E, S.L.B.&M. Center of S88°32'19"W Pattern 2663.28' (Meas.) S89°46'44"W - 2628.78' (Meas.) 1910 1910 Brass Cap Brass Cap Brass Cap Bottom (Meas. of Hole TARGET BOTTOM HOLE: 57, A-27-9-16 45. 26. VOO*43'25"W 1910 1910 Brass Cap Brass Cap (Meas. 48, 46. 26. NO0°43'42"W 1910 1910 1910 Brass Cap Brass Cap Brass Cap S89°26'34"W - 2629.90' (Meas.) S89°12'46"W - 2648.01' (Meas.) NAD 83 (BOTTOM HOLE LOCATION)

BASIS OF ELEV; Elevations are based on an N.G.S. OPUS Correction. LOCATION: LAT. 40°04'09.56" LONG. 110°00'43.28" (Tristate Aluminum Cap) Elev. 5281.57' NAD 83 (BOTTOM HOLE LOCATION)

LATITUDE = 40'00'32.04"

LONGITUDE = 110'05'46.98"

NAD 27 (BOTTOM HOLE LOCATION)

LATITUDE = 40'00'32.17"

LONGITUDE = 110'05'44.44"

NEWFIELD EXPLORATION COMPANY

TARGET BOTTOM HOLE, A-27-9-16, LOCATED AS SHOWN IN THE NE 1/4 NE 1/4 OF SECTION 27, T9S, R16E, S.L.B.&M. DUCHESNE COUNTY, UTAH.




NOTES:

- 1. Well footages are measured at right angles to the Section Lines.
- 2. Bearings are based on Global Positioning Satellite observations.
- 3. The Bottom of Hole footages are 75' FNL & 125' FEL.



= SECTION CORNERS LOCATED



TRI STATE LAND SURVEYING & CONSULTING

180 NORTH VERNAL AVE. - VERNAL, UTAH 84078 (435) 781-2501

DATE SURVEYED: 04-03-13	SURVEYED BY: S.H.	VERSION:
DATE DRAWN: 01-06-14	DRAWN BY: L.K.	\ /1
REVISED:	SCALE: 1" = 1000'	VI